

qbo flexy neon

qbo

flexy neon



LED NEON

led neon


qbo

Innovador producto que combina una tira de LED con cubierta de silicona. Aporta una luz completamente uniforme y una gran flexibilidad permitiendo su colocación en distintas superficies, especialmente curvas. Disponible en varias temperaturas de color y con dos modos de emisión de la luz (TOP/SIDE) dependiendo del sentido de la curvatura. La versión INJECTED garantiza un grado de estanqueidad IP68 lo que la hace apta para ser sumergida en el agua de forma continuada. La versión DIY puede cortarse en obra. En ambos casos puede solicitarse en tramos cortados a medida de hasta 10 metros.

Innovative product that combines a LED strip with silicone cover. Provides completely uniform light emission and great flexibility allowing to be placed over different surfaces, specially on curved ones. It is available in several color temperatures and with two modes of emitting light (TOP/SIDE) depending on the direction of curvature. INJECTED version guarantees IP68 protection which makes it suitable to be used underwater. DIY version can be cutted in site. Both versions can be provided in the lengths desired up to 10 meters.

top

LUZ / LIGHT ←




DIY

[do it yourself]




IN

[injected]



side

LUZ / LIGHT ↑




DIY

[do it yourself]



IN


[injected]




Led Flexy Neon 16x16mm 24V TOP / Led Flexy Neon 16x16mm 24V TOP

neon top ^{DIY}	W/m	Color K	L. m.	CRI	lm/m	Leds/m	IP
BLANCO / WHITE							
NFS13W24VTOP25	13	2500	10	85	530	108	68
NFS13W24VTOP30	13	3000	10	85	530	108	68
NFS13W24VTOP40	13	4000	10	85	530	108	68
RGB							
NFS13W24VTOPGB	13	RGB	10	85	530	108	68


* Otras temperaturas de color y longitudes disponibles bajo pedido.
Other color temperatures and lengths available on request.



02T013004
Neon DIY TOP end cap



02T013003
Neon DIY TOP front connector,
with 3,0 m cable



Led Flexy Neon 16x16mm 24V TOP / Led Flexy Neon 16x16mm 24V TOP



neon top ^{DIY}	W/m	Color K	L. m.	CRI	lm/m	Leds/m	IP
BLANCO / WHITE							
NFSTOP2513	13	2500	(1)	85	530	108	68
NFSTOP3013	13	3000	(1)	85	530	108	68
NFSTOP4013	13	4000	(1)	85	530	108	68
RGB							
NFSTOPRGB	13	RGB	(1)	85	530	108	68

* Otras temperaturas de color disponible bajo pedido
Other color temperatures available on request.



(1) A medida / On demand
MAX 10m.



02T013004i
SQUARE NEON LED top end cap
injected



02T013003i
SQUARE NEON LED top connector
3m cable injected
B, L, R or C




Injected connector options

Led Flexy Neon emisión lateral 11,5x21mm 24V wave / *Led Flexy Neon side emission 11,5x21mm 24V wave*


neon side ^{DIY}	W/m	Color K	L. m.	CRI	lm/m	Leds/m	IP
BLANCO / WHITE							
NFS13W24VSIDE25	13	2500	10	85	380	60	68
NFS13W24VSIDE30	13	3000	10	85	380	60	68
NFS13W24VSIDE40	13	4000	10	85	380	60	68
RGB							
NFS13W24VSIDERGB	13	RGB	10	85	380	108	68

* Otras temperaturas de color y longitudes disponibles bajo pedido.
Other color temperatures and lenghts availabe on request.




02S013004
Neon DIY SIDE end cap

LUZ / LIGHT



02S013003
*Neon DIY SIDE front connector,
with 3,0 m cable*




Led Flexy Neon emisión lateral 11,5x21mm 24V wave

/ Led Flexy Neon side emission 11,5x21mm 24V wave

neon side ^{DIY}	W/m	Color K	L. m.	CRI	lm/m	Leds/m	IP
BLANCO / WHITE							
NFSSIDE2510	13	2500	(1)	85	380	60	68
NFSSIDE3013	13	3000	(1)	85	380	60	68
NFSSIDE4013	13	4000	(1)	85	380	60	68
RGB							
NFSSIDERGB	13	RGB	(1)	85	380	108	68

* Otras temperaturas de color disponible bajo pedido
Other color temperatures available on request.



(1) A medida / On demand
MAX 10m.



02T013004i



SQUARE NEON LED side end cap
injected

LUZ / LIGHT



02T013003i

SQUARE NEON LED side conector
3m cable injected
B, L, R or C



Injected connector options




qbo




flexy neon

Mounting channel aluminio
Aluminium mounting channel



top




02T013010

Neon TOP Mounting channel 5 cm.

02T013014

Neon TOP Mounting channel 100 cm.

side





02S013010

Neon SIDE Mounting channel 5 cm.

02S013014


Neon SIDE Mounting channel 100 cm.

Mounting channel plastico
Plastic mounting channel - Pool Housing



02T013014P

Neon TOP Plastic mounting channel 100 cm.



02S013014P

Neon SIDE Plastic mounting channel 100 cm.


Grasa utilizada para impermeabilizar las conexiones.
Grease used to make connections waterproof.



02T013013

Grasa impermeable, con un pincel pequeño
waterproof grease with small brush

02T013018 - 45° Mounting Channel 100 Cm.
Square Neon Top Accessory, Pool Housing Led



02T013020





Pletina sujeción de aluminio.
Aluminum fixing holder.

02T013019

Pieza de aluminio. Mantiene la posición del perfil durante la instalación.
Aluminum position holder. It maintains the position of the profile during installation




Guía de instalación. *Installation guide.*




Colocar perfil en la pared. Mientras se seca el encofrado, utilizar pieza de aluminio para mantener su posición recta

Introduce the profile inside the wall, while the foundation dries out, use the aluminum position holder to help maintain the design of the 45° mounting channel straight



Quitar pieza de aluminio una vez que se seque el encofrado

Take out the aluminum position holder once the foundation is dried out



Colocar el Square Neon Top dentro del 45° Mounting Channel

Place the Square Neon Top inside the 45° Mounting Channel

